

Supply Hub

Catalogue

119 lines across 15 categories, every one quote-only. Compiled 14 October 2026 from supplyhubgh.com.

Category	Lines
Hand Tools	21
Power Tools	9
Welding, Cutting and Abrasives	15
Lifting and Rigging	7
Hydraulics, Pneumatics and Lubrication	10
Electrical, Motors and Automation	19
Bearings and Power Transmission	2
Pumps, Motors, Valves and Drives	1
Test, Measurement and Instrumentation	5
Fasteners, Fixings and Anchors	6
Lubricants, Chemicals and Consumables	2
Pipes, Panels and Fabrication Materials	9
Racking and Storage Systems	6
Refrigeration and Cold Chain	1
Lighting and Luminaires	6

How to use this catalogue

Reference codes. Every line carries a code in the form SH-PH-nnn. Quote the code and the quantity, by WhatsApp on +233 50 945 0578, by email to sales@supplyhubgh.com, or from the quote basket on supplyhubgh.com. A written quotation follows within one working day.

Prices. None are printed. Industrial prices move with exchange rates and distributor terms, so every line is priced on the quotation, which states the make and model supplied and the validity period.

Supply status. Stocked line, distributor line, imported to order and project supply are each identified in the catalogue. Every quotation states the available supply position for the quantity.

Photographs. Each picture shows the item photographed. The make and model supplied are named on the quotation, and where an equivalent is offered it is marked as one.

Not listed? Send the part number or a photograph of the nameplate on WhatsApp and it will be sourced.

Hand Tools

Pipe wrenches, keys, punches, pullers, clamps and the cases they live in.



SH-PH-001

Hydraulic hand crimping tool, 16 to 300 mm², with hexagonal die set

HHY-300D type, two-handle hydraulic head, cased

,



SH-PH-002

Impact socket adaptor and reducer set, 8 pc, Cr-Mo, 1/4 in to 1 in drive

Chrome-molybdenum, for impact wrenches, cased

,



SH-PH-003

Heavy-duty straight pipe wrench, 8 in to 48 in

Ridgid pattern, ductile iron handle, replaceable jaws

,



SH-PH-004

Ridgid heavy-duty straight pipe wrench, 24 in and 36 in, made in USA


Genuine Ridgid, ductile iron handle, I-beam section
Ridgid | ,



SH-PH-005

Screwdriver set, bi-material soft-grip handles, boxed

Slotted and Phillips, chrome-vanadium blades
Total | ,



SH-PH-006

Bearing and gear puller set, two and three-jaw, cased

Reversible jaws, three-arm yoke, extension legs
,



SH-PH-007

Hex (Allen) keys, long arm, large sizes

Black oxide L-keys, sold singly
,



SH-PH-008

Ingco heavy-duty G-clamp, 6 in and 8 in

Drop-forged frame, swivel pad, acme thread
Ingco | ,



SH-PH-009

Ingco hex key set, 9 pc, 1.5 to 10 mm, HHK11091

Long-arm L-keys in holder, industrial grade
Ingco | ,



SH-PH-010

Ingco Torx key set, 9 pc, T10 to T50, HHK13091

S2 steel L-keys in holder, industrial grade
Ingco | ,



SH-PH-011

Hydraulic hand-operated rebar and steel cutter, 4 to 12 mm

Two-handle hydraulic cutter, cased



SH-PH-012

Coofix heavy-duty open-mouth tool bagPolyester, wide mouth, shoulder ring, outer pockets
Coofix | ,

SH-PH-013

Coofix pin punch set, 6 pc, CFH-Z01002Parallel pin punches 2 to 8 mm, industrial grade
Coofix | ,

SH-PH-014

Coofix screwdriver bit set, 37 pc, Cr-V, CFA-07017Slotted, Phillips, Pozzi, Torx and hex bits with magnetic holder
Coofix | ,



SH-PH-072
Combination ratchet spanner set, 12 piece, 8 to 22 mm, roll pouch
Ring end ratcheting, chrome-vanadium, 72 tooth



SH-PH-073
Socket wrench set, 1/2 in drive, chrome-vanadium, cased
Reversible ratchet, extension bar, metric sockets
Euro Tools |



SH-PH-074
Ingco insulated screwdriver set, 9 piece, VDE 1000 V
Slotted, Phillips and Pozi, individually tested
Ingco |



SH-PH-075
Wadfow insulated screwdriver set, 7 piece, chrome-vanadium
Slotted and Phillips, insulated shank, carded
Wadfow |

**SH-PH-076****Insulated screwdriver set, 7 piece, with mains voltage tester, zip case**

Slotted and Phillips plus 100 to 500 V AC tester

,

**SH-PH-077****Nut driver with hex socket end, chrome-vanadium, soft-grip handle**

Screwdriver handle, through shank, single size

,

**SH-PH-078****Hydraulic gear and bearing puller, three-jaw, cased**

Integral hydraulic ram, lever handle, self-centring jaws

,

Power Tools

Cordless and corded drills, drivers and grinders from the professional ranges.



SH-PH-015

Bosch Professional GDX 18V-200 cordless impact driver and wrench

18 V, 1/4 in hex and 1/2 in square drive in one head
Bosch | ,



SH-PH-016

Bosch Professional GSB 120-LI 12 V cordless combi drill

Two-speed impact drill driver, 10 mm keyless chuck
Bosch | ,



SH-PH-017

Bosch Professional GWS 18V brushless cordless angle grinder, 125 mm

18 V, brushless motor, 125 mm disc, tool-free guard
Bosch | ,



SH-PH-018

Milwaukee AG 10-115 angle grinder, 115 mm, 1000 W

Corded, slim body, paddle switch
Milwaukee | ,



SH-PH-079

Ingco 20 V cordless drill driver kit, 2.0 Ah, casedP20S platform, battery, charger and accessories
Ingco | ,

SH-PH-080

Ingco 20 V brushless SDS-plus rotary hammer, 4.0 Ah, casedThree mode, brushless motor, side handle
Ingco | ,

SH-PH-081

Aoben 21 V cordless drill driver kit, two batteries, casedTwo-speed, torque collar, charger and spare battery
Aoben | ,

SH-PH-082

Drill and driver accessory set, bits, sockets and flexible shaft, casedHSS drills, driver bits, nut sockets, extension
,



SH-PH-083

HSS twist drill bits, DIN 338, ground and titanium coated

Fully ground, for steel and stainless, boxed by size

,

Welding, Cutting and Abrasives

Cutting and grinding discs, flap discs, diamond blades, annular cutters and gas welding outfits.



SH-PH-019

HSS annular cutter with Weldon shank, for magnetic drilling machines

Spiral-fluted core cutter, 19.05 mm Weldon shank, 30 mm depth

,



SH-PH-020

Victor Journeyman II oxy-acetylene welding and cutting outfit

Torch handle, cutting attachment, tips, oxygen and acetylene regulators

Victor | ,



SH-PH-021

Needle scaler replacement needles, 3 x 180 mm

Standard needle for jet chisel, Nitto pattern, boxed

,



SH-PH-022

Bosch Pro for Metal cutting disc, 230 x 3.0 x 22.23 mm

Flat type 41, for steel, part 2 608 600 226

Bosch | ,




SH-PH-023

Bosch Standard for Metal cutting disc, 230 x 3.0 x 22.23 mm

A 30 S BF, part 2 608 603 162

Bosch | ,



SH-PH-024

Bosch Pro for Metal grinding disc, 125 x 6 x 22.23 mm

Depressed centre type 27, A 24 R BF, part 2 608 603 182

Bosch | ,



SH-PH-025

Bosch Eco for Wood TCT circular saw blade, 305 x 30 mm, 80 teeth

3.2 mm kerf, 25.4 mm reducing ring, part 2 608 644 410

Bosch | ,



SH-PH-026

Non-woven nylon flap disc, 115 x 22.23 mm

Surface conditioning, fibreglass backing

,



SH-PH-027

Bosch flap disc for metal, 125 x 22.23 mm, P60Aluminium oxide, conical
Bosch | ,

SH-PH-028

Ingco zirconia flap disc, 115 x 22.2 mmZirconium oxide for steel and stainless
Ingco | ,

SH-PH-029

Ingco segmented dry diamond cutting disc, 180 x 22.2 mm, DMD011802Universal, wet or dry, 10 mm segment
Ingco | ,

SH-PH-030

Global Super Cut thin cutting disc, 230 x 1.9 x 22.23 mmA36T BF, inox and steel, EN 12413
Global | ,



SH-PH-031

Global aluminium oxide flap disc, 115 x 22 mm, grit 24

FD11A, coarse grade for heavy stock removal
Global | ,



SH-PH-032

Global Super Cut thin cutting disc, 125 x 1.2 x 22.23 mm

A60T BF, inox and steel
Global | ,



SH-PH-033

Global Super Cut thin cutting disc, 180 x 1.6 x 22.23 mm

A46T BF, inox and steel
Global | ,

Lifting and Rigging

Shackles, container lugs, load binders, jacks, wire rope hoists and rope.



SH-PH-065

Crosby G-2130 bolt-type anchor shackle, 3/4 in, WLL 4.75 t

Forged, galvanised, bolt with nut and cotter pin
Crosby | ,



SH-PH-066

Nylon rope, 3-strand twisted, white

Sold by the coil or cut length
,



SH-PH-067

ISO container lifting lug for corner castings, 12.5 t vertical

Forged, twist-lock handle, sold in sets of four
,



SH-PH-068

Mechanical screw jack, 20 t

Steel bottle type with ratchet handle, boxed
,

**SH-PH-069****Ratchet-type chain load binder with grab hooks**

For 3/8 to 1/2 in chain, red finish

,

**SH-PH-070****Wire rope pulling hoist, 5.4 t, Tirfor type**

Grip-hoist with telescopic handle, shear pin protected

,

**SH-PH-084****Double scissor vehicle lift, 5000 kg, in-ground or surface mount**

Full-rise twin scissor, hydraulic, drive-on platforms

,

Hydraulics, Pneumatics and Lubrication

Pneumatic cylinders and seal kits, hydraulic cylinders, porta-power kits and hose.



SH-PH-041

Hydraulic porta-power body and frame repair kit, 10 t

Hand pump, ram, extensions and attachments in case
Toyo | ,



SH-PH-042

Enerpac single-acting hydraulic cylinders, 10 to 200 t

RC and RCS series, general purpose and low height
Enerpac | ,



SH-PH-043

Festo DSNU-63-80-P-A round pneumatic cylinder, 63 mm bore, 80 mm stroke

ISO 6432, double-acting, stainless barrel, part 196013
Festo | ,



SH-PH-044

Festo ADN-40-150-A-P-A compact cylinder, 40 mm bore, 150 mm stroke

Double-acting, position sensing, part 536288
Festo | ,



SH-PH-045

AirTAC P-SC50N-R1 cylinder seal repair kit, SC series 50 mm bore

Piston, rod, wiper and cushion seals
AirTAC | ,



SH-PH-046

AirTAC SC50x50 tie-rod pneumatic cylinder, 50 mm bore, 50 mm stroke

ISO 15552 pattern, aluminium, adjustable cushions
AirTAC | ,



SH-PH-047

SMC CM2B40-25+25Z-XC11 dual-stroke round air cylinder, 40 mm bore

Two 25 mm strokes in one body, basic mounting
SMC | ,



SH-PH-048

Coofix hydraulic hose, SAE 100 R1AT 1/4 in, with fittings

One-wire braid, working pressure 2750 psi
Coofix | ,

**SH-PH-085****Locking grease coupler, 16 mm, high pressure, with hose extension**


Four-jaw locking head, releases under lever

**SH-PH-086****Grease gun couplers and hydraulic nipples, assorted, loose**

Standard and locking couplers, straight and angled nipples

Electrical, Motors and Automation

Motor protection, induction motors, building wire, power cable and aerial bundled cable.



SH-PH-050

Schneider TeSys GV2ME16 thermal-magnetic motor circuit breaker, 9 to 14 A

3-pole, pushbutton start and stop, screw clamp terminals
Schneider Electric | ,



SH-PH-051

Single-core PVC insulated copper conductor, H07V-R 2.5 mm², 100 m coil

450/750 V building wire, NF C 32-201, red and black
LCS | ,



SH-PH-052

LV armoured power cable, 0.6/1 kV, XLPE insulated, PVC sheathed

Copper or aluminium, multi-core, YJV22 and YJLV22 type
,



SH-PH-053

Aerial bundled cable (ABC), XLPE insulated aluminium

Twisted multi-core for overhead distribution
,



SH-PH-054

Three-phase induction motor, IEC aluminium frame, B5 flange mount

Small frame, 400 V, 50 Hz

,



SH-PH-087

SICK WE100-2 through-beam photoelectric sensor receiver, 10 to 30 V DC

W100-2 series, part 6052925, cable connection

SICK | ,



SH-PH-088

Schneider Electric Acti9 iID residual current circuit breaker, 2P 63 A 30 mA

A9R52263, Type AC, 240 V, made in France

Schneider Electric | ,



SH-PH-089

Havells miniature circuit breaker, DIN rail mounting

C curve, 6 kA breaking capacity, boxed

Havells | ,



SH-PH-090

Havells residual current circuit breaker, four pole

Three phase and neutral, DIN rail, test button
Havells | ,



SH-PH-091

Surface consumer unit, 10 way, with main switch and miniature circuit breakers

100 A main switch, C curve breakers, white enclosure
,



SH-PH-092

Service cut-out, 100 A, 415 V AC, sealable

Incoming service fuse carrier with sealing points
,



SH-PH-093

Motor run capacitor, CBB60 type, with flying leads

2.5 and 3.5 µF, 400 to 500 V, EN 60252
Tiger Force | ,



SH-PH-094

Submersible pump control box, QK series, single phase

Start capacitor, overload and isolator in one enclosure

,



SH-PH-095

Sollatek voltage protector for television and refrigeration loads

Plug-in, high and low voltage cut-out with time delay

Sollatek | ,



SH-PH-096

Volt three-phase induction motor, 5.5 kW, 2 pole, IMB34, IE2

VM C 112-2, 400 V, 2900 rpm, IP55, made in Turkey

Volt | ,



SH-PH-097

Star Cable flexible cable, 3 core 2.5 mm², BS 6500, 300/500 V

PVC insulated and sheathed, white, coiled by the yard

Star Cable | ,

**SH-PH-098****Flexible cable coils, PVC insulated and sheathed, 100 yard**

Single and multicore, white, held in size runs

**SH-PH-099****Rubber-sheathed flexible cable, heavy duty, black**

For welding sets, site boards and portable plant

**SH-PH-100****Industrial square-panel wall extract fan, direct drive**

Pressed steel panel, three and four blade impellers

Bearings and Power Transmission

Worm gear reducers and geared motors.



SH-PH-035

Varvel FRT 40 worm gear reducer, ratio 7.5:1, B3 foot mount

Hollow output bore, long-life lubrication, made in Italy
Varvel | ,



SH-PH-036

Varvel worm geared motor, three-phase IEC motor on FRT worm reducer

Flange output, aluminium housings
Varvel | ,

Pumps, Motors, Valves and Drives

Air-operated diaphragm pumps for slurry, chemicals and transfer duty.



SH-PH-034

Wilden Pro-Flo PS15 air-operated double diaphragm pump, 3 in, metallic

Cast metal, bolted, for slurry, chemicals and transfer duty
Wilden | ,

Test, Measurement and Instrumentation

Infrared thermometers and tachometers for maintenance and condition checks.



SH-PH-055

Fluke 568-2 infrared and contact thermometer

50:1 spot ratio, K-type probe, data logging, cased
Fluke | ,



SH-PH-056

Fluke 931 contact and non-contact tachometer

Optical and contact rpm and surface speed, cased
Fluke | ,



SH-PH-107

Fluke 805 FC vibration meter with Fluke Connect

Four-level severity scale, bearing and overall readings
Fluke | ,



SH-PH-108

Sugon 3005PM DC bench power supply, 30 V, 5 A, 150 W

Four-digit displays, memory presets, USB outputs
Sugon | ,



SH-PH-109

Multimeter test lead set, silicone, right-angle plugs

Red and black, shrouded probes, 4 mm plugs

,

Fasteners, Fixings and Anchors

Safety lock wire, circlips and chemical anchor dispensers.



SH-PH-037

Stainless steel safety lock wire, 302/304, 1 lb canister

ASTM A580 condition A, MS20995
WCS | ,



SH-PH-038

External circlips, DIN 471, assorted

Black phosphated retaining rings, bagged
,



SH-PH-039

External circlip assortment kit, DIN 471, compartment box


Approximately 300 pieces, 3 to 32 mm shaft sizes
,



SH-PH-040

Hilti HDM 500 manual dispenser with HIT-CR 500 cartridge holder

For 500 ml HIT-HY and HIT-RE anchor adhesive foil packs
Hilti | ,

**SH-PH-110****Threaded rod and heavy hex nuts, metric, plain finish**

Full length studding with matching nuts

,

**SH-PH-111****ASTM A325 heavy hex structural bolts, with nuts and washers**

Head marked A325, for structural steel connections

,

Lubricants, Chemicals and Consumables

Industrial grease and solid paint markers.



SH-PH-057
Markal B Paintstik solid paint marker, yellow, box of 12
Marks metal, wood, concrete and rubber, wet or oily
Markal | ,



SH-PH-058
TotalEnergies industrial grease, 18 kg pail
Multipurpose lithium and lithium complex grades
TotalEnergies | ,

Pipes, Panels and Fabrication Materials

Precision tube, shoring props, waterproofing membrane and insulated roof panels.



SH-PH-059

Precision seamless steel tube, bright finish, small bore

Cold-drawn hydraulic tube, in lengths

,



SH-PH-060

Adjustable steel shoring props, Acrow type

Telescopic, pin and collar adjustment, painted

,



SH-PH-061

APP modified bitumen torch-on waterproofing membrane, 3 mm

Polyester reinforced, sand finish, 1 x 10 m roll

,



SH-PH-062

Insulated roof sandwich panel, PU/PIR core, trapezoidal steel skins


Pre-painted galvanised steel, 50 to 100 mm core

,

**SH-PH-116****UPVC corrugated roofing sheet, ASA coated**

Corrosion resistant, colour through, lightweight

,

**SH-PH-117****Galvanised corrugated roofing sheet**

Hot-dip galvanised steel, standard corrugation

,

**SH-PH-118****Light gauge galvanised steel framing sections, C studs and U tracks**

Roll-formed, for partitions, ceilings and dry lining

,

**SH-PH-119****Geotextile and damp proof membrane, rolls**

Separation, filtration and under-slab damp proofing

,



SH-PH-120


Prefabricated site cabin and container office conversion

Insulated panel walls, windows, door, ready to site

,

Racking and Storage Systems

Louvre panels, parts bins and organisers for stores and workshops.



SH-PH-063

Wall-mounted louvre panel with stackable plastic parts bins

Three bin sizes, panel supplied populated

,



SH-PH-064

Coofix portable plastic parts organiser

Clear lid, removable dividers, carry handle

Coofix | ,



SH-PH-112

Adjustable pallet racking, boltless upright and beam

Perforated uprights, connector beams, floor fixed

,



SH-PH-113

Longspan shelving bay, boltless, steel shelf panels

Four to six levels, steel or chipboard decks

,



SH-PH-114

Top plate swivel castors, nylon, polyurethane and rubber wheels

Braked and unbraked, bolt-on top plate

,



SH-PH-115

Hydraulic hand pallet truck, standard fork

Three position handle, tandem load rollers

,

Refrigeration and Cold Chain

Digital manifold gauge sets for refrigeration service.



SH-PH-049

Hongsen digital refrigerant manifold gauge set with pipe-clamp probes

Two-valve, clamp-on temperature probes, hoses, cased
Hongsen | ,

Lighting and Luminaires

LED panels, downlights, street lights and strip for plants, yards and offices.



SH-PH-101

LED recessed glass panel downlight, round

Edge-lit glass face, integral driver, ceiling cut-out

,



SH-PH-102

LED surface panel lamp, 12 W, round

Surface mounted, no cut-out needed, integral driver
UK Luxton | ,



SH-PH-103

LED recessed spotlight, 3 W, with separate driver

Small aperture downlight, driver supplied loose

,



SH-PH-104

LED street light head, IP65, pole mounting

Die-cast body, multi-chip array, spigot fixing

,

**SH-PH-105****LED strip light, reel, with connectors**

Flexible tape on a reel, cut to marked lengths

,

**SH-PH-106****LED rotating colour lamp, 3 W, E27, sound activated**

Full colour rotating head, auto and sound modes

,


Work we have done

Supply Hub does not only ship boxes. These are jobs carried out on customers' sites. The photographs are our own.

Warehouse pallet racking, supply and installation

Distribution warehouse, Greater Accra

Multi-bay adjustable pallet racking set out, erected and handed over inside a new distribution warehouse. Frames were positioned to the aisle width the customer's truck needs, braced, plumbed and floor anchored; beams were levelled, clipped and load notices fitted before the first pallet went in. The run was built under the roof steel with the building still in finishing, so the sequence was agreed with the main contractor week by week.



Scaffold access to a structural steel frame

Industrial building, Ghana

Access scaffold erected around a structural steel frame so cladding and services could be worked at height. Lifts were tied to the frame and boarded out with toe boards and guard rails at every working level, and the scaffold was handed over with a tag at the access point.



Light gauge steel framing for internal partitions

Fit-out, Ghana

Galvanised C stud and U track framing set out for internal partitions and an office enclosure inside an industrial shell. Tracks were fixed to slab and soffit, studs set at centres to suit the board, and service knockouts lined up through the run before first fix.



Drive unit receipt, handling and refurbishment

Workshop, Ghana

A gearbox and motor set received, palletised, protected and prepared for refurbishment. Shafts were sleeved and the breather and flange faces covered before the unit went into store, so the rebuild started with clean machined faces.



Reference index

Every line by reference code, with the page it appears on.

Ref	Line	Page
SH-PH-001	Hydraulic hand crimping tool, 16 to 300 mm ² , with hexagonal die set	3
SH-PH-002	Impact socket adaptor and reducer set, 8 pc, Cr-Mo, 1/4 in to 1 in drive	3
SH-PH-003	Heavy-duty straight pipe wrench, 8 in to 48 in	3
SH-PH-004	Ridgid heavy-duty straight pipe wrench, 24 in and 36 in, made in USA	3
SH-PH-005	Screwdriver set, bi-material soft-grip handles, boxed	4
SH-PH-006	Bearing and gear puller set, two and three-jaw, cased	4
SH-PH-007	Hex (Allen) keys, long arm, large sizes	4
SH-PH-008	Ingco heavy-duty G-clamp, 6 in and 8 in	4
SH-PH-009	Ingco hex key set, 9 pc, 1.5 to 10 mm, HHK11091	4
SH-PH-010	Ingco Torx key set, 9 pc, T10 to T50, HHK13091	4
SH-PH-011	Hydraulic hand-operated rebar and steel cutter, 4 to 12 mm	5
SH-PH-012	Coofix heavy-duty open-mouth tool bag	5
SH-PH-013	Coofix pin punch set, 6 pc, CFH-Z01002	5
SH-PH-014	Coofix screwdriver bit set, 37 pc, Cr-V, CFA-07017	5
SH-PH-015	Bosch Professional GDX 18V-200 cordless impact driver and wrench	8
SH-PH-016	Bosch Professional GSB 120-LI 12 V cordless combi drill	8
SH-PH-017	Bosch Professional GWS 18V brushless cordless angle grinder, 125 mm	8
SH-PH-018	Milwaukee AG 10-115 angle grinder, 115 mm, 1000 W	8
SH-PH-019	HSS annular cutter with Weldon shank, for magnetic drilling machines	11
SH-PH-020	Victor Journeyman II oxy-acetylene welding and cutting outfit	11
SH-PH-021	Needle scaler replacement needles, 3 x 180 mm	11
SH-PH-022	Bosch Pro for Metal cutting disc, 230 x 3.0 x 22.23 mm	11
SH-PH-023	Bosch Standard for Metal cutting disc, 230 x 3.0 x 22.23 mm	12
SH-PH-024	Bosch Pro for Metal grinding disc, 125 x 6 x 22.23 mm	12
SH-PH-025	Bosch Eco for Wood TCT circular saw blade, 305 x 30 mm, 80 teeth	12
SH-PH-026	Non-woven nylon flap disc, 115 x 22.23 mm	12
SH-PH-027	Bosch flap disc for metal, 125 x 22.23 mm, P60	13
SH-PH-028	Ingco zirconia flap disc, 115 x 22.2 mm	13
SH-PH-029	Ingco segmented dry diamond cutting disc, 180 x 22.2 mm, DMD011802	13
SH-PH-030	Global Super Cut thin cutting disc, 230 x 1.9 x 22.23 mm	13
SH-PH-031	Global aluminium oxide flap disc, 115 x 22 mm, grit 24	14
SH-PH-032	Global Super Cut thin cutting disc, 125 x 1.2 x 22.23 mm	14
SH-PH-033	Global Super Cut thin cutting disc, 180 x 1.6 x 22.23 mm	14
SH-PH-034	Wilden Pro-Flo PS15 air-operated double diaphragm pump, 3 in, metallic	26
SH-PH-035	Varvel FRT 40 worm gear reducer, ratio 7.5:1, B3 foot mount	25
SH-PH-036	Varvel worm geared motor, three-phase IEC motor on FRT worm reducer	25
SH-PH-037	Stainless steel safety lock wire, 302/304, 1 lb canister	29
SH-PH-038	External circlips, DIN 471, assorted	29
SH-PH-039	External circlip assortment kit, DIN 471, compartment box	29
SH-PH-040	Hilti HDM 500 manual dispenser with HIT-CR 500 cartridge holder	29
SH-PH-041	Hydraulic porta-power body and frame repair kit, 10 t	17
SH-PH-042	Enerpac single-acting hydraulic cylinders, 10 to 200 t	17
SH-PH-043	Festo DSNU-63-80-P-A round pneumatic cylinder, 63 mm bore, 80 mm stroke	17
SH-PH-044	Festo ADN-40-150-A-P-A compact cylinder, 40 mm bore, 150 mm stroke	17
SH-PH-045	AirTAC P-SC50N-R1 cylinder seal repair kit, SC series 50 mm bore	18
SH-PH-046	AirTAC SC50x50 tie-rod pneumatic cylinder, 50 mm bore, 50 mm stroke	18
SH-PH-047	SMC CM2B40-25+25Z-XC11 dual-stroke round air cylinder, 40 mm bore	18
SH-PH-048	Coofix hydraulic hose, SAE 100 R1AT 1/4 in, with fittings	18
SH-PH-049	Hongsen digital refrigerant manifold gauge set with pipe-clamp probes	37
SH-PH-050	Schneider TeSys GV2ME16 thermal-magnetic motor circuit breaker, 9 to 14 A	20
SH-PH-051	Single-core PVC insulated copper conductor, H07V-R 2.5 mm ² , 100 m coil	20

Ref	Line	Page
SH-PH-052	LV armoured power cable, 0.6/1 kV, XLPE insulated, PVC sheathed	20
SH-PH-053	Aerial bundled cable (ABC), XLPE insulated aluminium	20
SH-PH-054	Three-phase induction motor, IEC aluminium frame, B5 flange mount	21
SH-PH-055	Fluke 568-2 infrared and contact thermometer	27
SH-PH-056	Fluke 931 contact and non-contact tachometer	27
SH-PH-057	Markal B Paintstik solid paint marker, yellow, box of 12	31
SH-PH-058	TotalEnergies industrial grease, 18 kg pail	31
SH-PH-059	Precision seamless steel tube, bright finish, small bore	32
SH-PH-060	Adjustable steel shoring props, Acrow type	32
SH-PH-061	APP modified bitumen torch-on waterproofing membrane, 3 mm	32
SH-PH-062	Insulated roof sandwich panel, PU/PIR core, trapezoidal steel skins	32
SH-PH-063	Wall-mounted louvre panel with stackable plastic parts bins	35
SH-PH-064	Coofix portable plastic parts organiser	35
SH-PH-065	Crosby G-2130 bolt-type anchor shackle, 3/4 in, WLL 4.75 t	15
SH-PH-066	Nylon rope, 3-strand twisted, white	15
SH-PH-067	ISO container lifting lug for corner castings, 12.5 t vertical	15
SH-PH-068	Mechanical screw jack, 20 t	15
SH-PH-069	Ratchet-type chain load binder with grab hooks	16
SH-PH-070	Wire rope pulling hoist, 5.4 t, Tirfor type	16
SH-PH-072	Combination ratchet spanner set, 12 piece, 8 to 22 mm, roll pouch	6
SH-PH-073	Socket wrench set, 1/2 in drive, chrome-vanadium, cased	6
SH-PH-074	Ingco insulated screwdriver set, 9 piece, VDE 1000 V	6
SH-PH-075	Wadfow insulated screwdriver set, 7 piece, chrome-vanadium	6
SH-PH-076	Insulated screwdriver set, 7 piece, with mains voltage tester, zip case	7
SH-PH-077	Nut driver with hex socket end, chrome-vanadium, soft-grip handle	7
SH-PH-078	Hydraulic gear and bearing puller, three-jaw, cased	7
SH-PH-079	Ingco 20 V cordless drill driver kit, 2.0 Ah, cased	9
SH-PH-080	Ingco 20 V brushless SDS-plus rotary hammer, 4.0 Ah, cased	9
SH-PH-081	Aoben 21 V cordless drill driver kit, two batteries, cased	9
SH-PH-082	Drill and driver accessory set, bits, sockets and flexible shaft, cased	9
SH-PH-083	HSS twist drill bits, DIN 338, ground and titanium coated	10
SH-PH-084	Double scissor vehicle lift, 5000 kg, in-ground or surface mount	16
SH-PH-085	Locking grease coupler, 16 mm, high pressure, with hose extension	19
SH-PH-086	Grease gun couplers and hydraulic nipples, assorted, loose	19
SH-PH-087	SICK WE100-2 through-beam photoelectric sensor receiver, 10 to 30 V DC	21
SH-PH-088	Schneider Electric Acti9 iLD residual current circuit breaker, 2P 63 A 30 mA	21
SH-PH-089	Havells miniature circuit breaker, DIN rail mounting	21
SH-PH-090	Havells residual current circuit breaker, four pole	22
SH-PH-091	Surface consumer unit, 10 way, with main switch and miniature circuit breakers	22
SH-PH-092	Service cut-out, 100 A, 415 V AC, sealable	22
SH-PH-093	Motor run capacitor, CBB60 type, with flying leads	22
SH-PH-094	Submersible pump control box, QK series, single phase	23
SH-PH-095	Sollatek voltage protector for television and refrigeration loads	23
SH-PH-096	Volt three-phase induction motor, 5.5 kW, 2 pole, IMB34, IE2	23
SH-PH-097	Star Cable flexible cable, 3 core 2.5 mm ² , BS 6500, 300/500 V	23
SH-PH-098	Flexible cable coils, PVC insulated and sheathed, 100 yard	24
SH-PH-099	Rubber-sheathed flexible cable, heavy duty, black	24
SH-PH-100	Industrial square-panel wall extract fan, direct drive	24
SH-PH-101	LED recessed glass panel downlight, round	38
SH-PH-102	LED surface panel lamp, 12 W, round	38
SH-PH-103	LED recessed spotlight, 3 W, with separate driver	38
SH-PH-104	LED street light head, IP65, pole mounting	38
SH-PH-105	LED strip light, reel, with connectors	39
SH-PH-106	LED rotating colour lamp, 3 W, E27, sound activated	39
SH-PH-107	Fluke 805 FC vibration meter with Fluke Connect	27

Ref	Line	Page
SH-PH-108	Sugon 3005PM DC bench power supply, 30 V, 5 A, 150 W	27
SH-PH-109	Multimeter test lead set, silicone, right-angle plugs	28
SH-PH-110	Threaded rod and heavy hex nuts, metric, plain finish	30
SH-PH-111	ASTM A325 heavy hex structural bolts, with nuts and washers	30
SH-PH-112	Adjustable pallet racking, boltless upright and beam	35
SH-PH-113	Longspan shelving bay, boltless, steel shelf panels	35
SH-PH-114	Top plate swivel castors, nylon, polyurethane and rubber wheels	36
SH-PH-115	Hydraulic hand pallet truck, standard fork	36
SH-PH-116	UPVC corrugated roofing sheet, ASA coated	33
SH-PH-117	Galvanised corrugated roofing sheet	33
SH-PH-118	Light gauge galvanised steel framing sections, C studs and U tracks	33
SH-PH-119	Geotextile and damp proof membrane, rolls	33
SH-PH-120	Prefabricated site cabin and container office conversion	34